




LEGEND







■ TOP MOUNT POST

© CENTERLINE


F.F. FINISHED FLOOR

TYP TYPICAL CONDITION;
APPLIES ELSEWHERE AT
SIMILAR LOCATIONS

NOTES:

1. TOP RAIL NOT SHOWN FOR CLARITY.

**RAINIER TM42RC \mathcal{C} AGS RAINIER SPECIFICATION DRAWING
** COMMERCIAL ** TOP MOUNT - ROUND TOP 42" 7873 NE DAY ROAD BAINBRIDGE ISLAND, WA 98110 stainless AGS



NOTES:

- 1. DECK STRUCTURE CAN VARY GREATLY, IT IS THE RESPONSIBILITY OF THE CUSTOMER TO VERIFY THAT THE SUPPORTING STRUCTURE IS ADEQUATE TO MEET THE LOAD REQUIREMENTS OF THE GOVERNING BUILDING CODE(S). AGS Stainless Inc. RECOMMENDS CONSULTING A DESIGN OR CONSTRUCTION PROFESSIONAL TO ADDRESS THESE ISSUES.
- POSITIVE CONNECTION TO ADJACENT STRUCTURE IS REQUIRED.
- TOP RAIL CONNECTIONS ARE BONDED WITH HIGH-STRENGTH ADHESIVE TO ACHIEVE A HAIRLINE FIT UP.





 \mathcal{C}

2

AGS


TOP MOUNT - ROUND TOP






OUTSIDE CORNER POST LAYOUT - 90°

INSIDE CORNER POST LAYOUT - 90° В SCALE: NONE





OUTSIDE CORNER POST LAYOUT - 45°

INSIDE CORNER POST LAYOUT - 45° D



NOTE:

THE LAYOUTS SHOWN MAY VARY AS THE ANGLE CHANGES. MAKE SURE YOU CHOOSE A POST LAYOUT SO THAT TWO CLOSEST POINTS OF THE ADJACENT POSTS IS LESS THAN 4".

**RAINIER TM42RC AGS RAINIER SPECIFICATION DRAWING
** COMMERCIAL ** TOP MOUNT - ROUND TOP

 $^{\circ}$

က

