



NOTES:

- TOP RAIL NOT SHOWN FOR CLARITY.
- ALL PARTS AND COMPONENTS MADE WITH 316 STAINLESS STEEL UNLESS NOTED OTHERWISE.

LEGEND





- CORE MOUNT POST
- CORE MOUNT DOUBLE POST
 - CENTERLINE
 - FINISHED FLOOR
- TYPICAL CONDITION APPLIES TYP **ELSEWHERE AT SIMILAR CONDITIONS**


SCALE NC DESIGNER AGS


42" CORE MOUNT - ROUND TOP

OLYMPUS SPECIFICATION DRAWING
** COMMERCIAL **

7873 NE DAY ROAD BAINBRIDGE ISLAND, WA 98110

stainless AGS






NOTES:

1. STAIR CONSTRUCTION VARIES GREATLY. AS-BUILT CONDITIONS MAY ALTER RAILING DESIGN, INCLUDING POST LOCATION & MOUNTING, INFILL SPACING & TOP RAIL LAYOUT.


73 NE DAY ROAD	OLYMPUS SPECIFICATION DRAWING	OLYM	OLYMPUS CM42R
000 000 000 000	** COMMERCIAL **	SCALE NONE	SCALE NONE DATE 2024
NE - (888) 842-9492 X - (206) 842-8179		DESIGNER	SHEET
AGSSTAINLESS.COM	42" CORE MOUNT - ROUND TOP	AGS	3 0⊦4

AGS Stainless Clearview[®] Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.




NOTE: 90° SHOWN, OTHER ANGLES SIMILAR


TYPICAL 90° CORE MOUNT OUTSIDE CORNER
DETAIL



NOTE: 90° SHOWN, OTHER ANGLES SIMILAR

B TYPICAL 90° CORE MOUNT INSIDE CORNER DETAIL







4 of 4

AGS

CORE MOUNT - ROUND TOP

42"