



NOTES:

- TOP RAIL NOT SHOWN FOR CLARITY.
- ALL PARTS AND COMPONENTS MADE WITH 316 STAINLESS STEEL UNLESS NOTED OTHERWISE.

LEGEND





- CORE MOUNT POST
- ę CENTERLINE
- F.F. FINISHED FLOOR
- TYP TYPICAL CONDITION APPLIES **ELSEWHERE AT SIMILAR CONDITIONS**


1 2.	0
SHEET	DESIGNER
DATE 2024	SCALE NONE
GLACIER CM36F	DWG# GLA(


36" CORE MOUNT - FLAT TOP

GLACIER SPECIFICATION DRAWING
** RESIDENTIAL **

7873 NE DAY ROAD BAINBRIDGE ISLAND, WA 98110










1. STAIR CONSTRUCTION VARIES GREATLY. AS-BUILT CONDITIONS MAY ALTER RAILING DESIGN, INCLUDING POST LOCATION & MOUNTING, INFILL SPACING & TOP RAIL LAYOUT.

GLACIER SPECIFICATION DRAWING	GLA GLA	GLACIER CM36F
** RESIDENTIAL **	SCALE NONE	DATE 2024
	DESIGNER	SHEET
36" CORE MOUNT - FLAT TOP	AGS	3 ₀ 4

INBRIDGE ISLAND, WA 96110 PHONE - (888) 842-9492 FAX - (206) 842-8179 WWW AGSSTAINLESS.COM




AGS Stainless Clearview[®] Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.




NOTE: 90° SHOWN, OTHER ANGLES SIMILAR


A TYPICAL 90° CORE MOUNT OUTSIDE CORNER DETAIL




NOTE: 90° SHOWN, OTHER ANGLES SIMILAR

B TYPICAL 90° CORE MOUNT INSIDE CORNER DETAIL







AGS stainless:

 $4 \, \mathrm{or} \, 4$

AGS

36" CORE MOUNT - FLAT TOP

AGS Stainless Clearview[®] Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.