



NOTES:

- TOP RAIL NOT SHOWN FOR CLARITY.
- ALL PARTS AND COMPONENTS MADE WITH 316 STAINLESS STEEL UNLESS NOTED OTHERWISE.

LEGEND





- CORE MOUNT POST
- ę CENTERLINE
- F.F. FINISHED FLOOR
- TYP TYPICAL CONDITION APPLIES **ELSEWHERE AT SIMILAR CONDITIONS**

оите 2024	SHEET	1 ₀ 4
NONE	S	SS


GLACIER CM36R


36" CORE MOUNT - ROUND TOP

GLACIER SPECIFICATION DRAWING
** RESIDENTIAL **

7873 NE DAY ROAD BAINBRIDGE ISLAND, WA 98110










1. STAIR CONSTRUCTION VARIES GREATLY. AS-BUILT CONDITIONS MAY ALTER RAILING DESIGN, INCLUDING POST LOCATION & MOUNTING, INFILL SPACING & TOP RAIL LAYOUT.

GLACIER SPECIFICATION DRAWING	DWG# GLAC	GLACIER CM36R
** RESIDENTIAL **	SCALE NONE	DATE 2024
36" CORE MOUNT - ROUND TOP	DESIGNER AGS	3 OF 4

PHONE - (888) 842-9492 FAX - (206) 842-8179 //////// AGSSTAINLESS.COM




AGS Stainless Clearview[®] Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.




NOTE: 90° SHOWN, OTHER ANGLES SIMILAR


A TYPICAL 90° CORE MOUNT OUTSIDE CORNER DETAIL




NOTE: 90° SHOWN, OTHER ANGLES SIMILAR

B TYPICAL 90° CORE MOUNT INSIDE CORNER DETAIL









 $4 \circ 4$

AGS

CORE MOUNT - ROUND TOP

36"

AGS Stainless Clearview® Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.