



NOTES:

- 1. TOP RAIL NOT SHOWN FOR CLARITY.
- ALL PARTS AND COMPONENTS MADE WITH 316 STAINLESS STEEL UNLESS NOTED OTHERWISE.

LEGEND







- CORE MOUNT POST
- □ □ CORE MOUNT DOUBLE POST
 - € CENTERLINE
 - F.F. FINISHED FLOOR
- TYP TYPICAL CONDITION APPLIES
 ELSEWHERE AT SIMILAR CONDITIONS

OLYMPUS SPECIFICATION DRAWING
** RESIDENTIAL **
42" CORE MOUNT - ROUND TOP

7873 NE DAY ROAD BAINBRIDGE ISLAND, WA 98110 PHONE - (888) 842-842 FAX - (206) 842-8179 WWWYASSTANLES.COM








NOTES:

1. STAIR CONSTRUCTION VARIES GREATLY. AS-BUILT CONDITIONS MAY ALTER RAILING DESIGN, INCLUDING POST LOCATION & MOUNTING, INFILL SPACING & TOP RAIL LAYOUT.

OLYMPUS SPECIFICATION DRAWING ** RESIDENTIAL ** 42" CORE MOUNT - ROUND TOP




AGS Stainless Clearview[®] Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.




NOTE: 90° SHOWN, OTHER ANGLES SIMILAR


TYPICAL 90° CORE MOUNT OUTSIDE CORNER
DETAIL



NOTE: 90° SHOWN, OTHER ANGLES SIMILAR

B TYPICAL 90° CORE MOUNT INSIDE CORNER DETAIL







4 of 4

AGS

CORE MOUNT - ROUND TOP

42"