



## NOTES:

- TOP RAIL NOT SHOWN FOR CLARITY.
- ALL PARTS AND COMPONENTS MADE WITH 316 STAINLESS STEEL UNLESS NOTED OTHERWISE.

## **LEGEND**





- SIDE MOUNT POST
- ę CENTERLINE
- F.F. FINISHED FLOOR
- TYP TYPICAL CONDITION APPLIES **ELSEWHERE AT SIMILAR CONDITIONS**

SIM36W	2024	,	₽ ₽
MFOS	DATE	SHEET	
٦٢M	ЭNС		٠.


SCALE NOI DESIGNER AGS


OLYMPUS SPECIFICATION DRAWING
\*\* RESIDENTIAL \*\*

36" SIDE MOUNT - WOOD TOP

7873 NE DAY ROAD BAINBRIDGE ISLAND, WA 98110









AGS Stainless Clearview<sup>®</sup> Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.

## NOTES:


1.	TOP RAIL SHOULD BE SELECTED SO THAT ALL GOVERNING CODE
	REQUIREMENTS ARE SATISFIED. THESE INCLUDE SHAPE,
	STRENGTH AND RAILING HEIGHT.

2.	STAIR CONSTRUCTION VARIES GREATLY. AS-BUILT CONDITIONS
	MAY ALTER RAILING DESIGN, INCLUDING POST LOCATION &
	MOUNTING. INFILL SPACING & TOP RAIL LAYOUT.

OLYMPUS SPECIFICATION DRAWING
\*\* RESIDENTIAL \*\*
36" SIDE MOUNT - WOOD TOP


PHONE - (888) 842-9492 FAX - (206) 842-8179 WW AGSSTAINLESS COM






NOTE: 90° SHOWN, OTHER ANGLES SIMILAR


TYPICAL SIDE MOUNT OUTSIDE CORNER Α DETAIL



NOTE: 90° SHOWN, OTHER ANGLES SIMILAR

TYPICAL SIDE MOUNT INSIDE CORNER В DETAIL





4 of 4

