



NOTES:

- 1. TOP RAIL NOT SHOWN FOR CLARITY.
- 2. ALL PARTS AND COMPONENTS MADE WITH 316 STAINLESS STEEL UNLESS NOTED OTHERWISE.

LEGEND





- SIDE MOUNT POST
- □ □ SIDE MOUNT DOUBLE POST
 - € CENTERLINE
 - F.F. FINISHED FLOOR
 - TYP TYPICAL CONDITION APPLIES
 ELSEWHERE AT SIMILAR CONDITIONS





OLYMPUS SM42R NONE DATE 2024

OLYMPUS SPECIFICATION DRAWING
** RESIDENTIAL **

42" SIDE MOUNT - ROUND TOP

AGS





NOTES:


1. STAIR CONSTRUCTION VARIES GREATLY. AS-BUILT CONDITIONS MAY ALTER RAILING DESIGN, INCLUDING POST LOCATION & MOUNTING, INFILL SPACING & TOP RAIL LAYOUT.

OLYMPUS SPECIFICATION DRAWING	WY10 ***	OLYMPUS SM42R
** RESIDENTIAL **	SCALE NONE	SCALE NONE DATE 2024
	DESIGNER	SHEET
42" SIDE MOUNT - ROUND TOP	AGS	3 ₀ 4
	OLYMPUS SPECIFICATION DRAWING ** RESIDENTIAL ** 42" SIDE MOUNT - ROUND TOP	SOME DESIGNER

PHONE - (888) 842-9492 FAX - (206) 842-8179 WWW.AGSSTAINLESS.COM




AGS Stainless Clearview[®] Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.




NOTE: 90° SHOWN, OTHER ANGLES SIMILAR


TYPICAL SIDE MOUNT OUTSIDE CORNER
DETAIL



NOTE: 90° SHOWN, OTHER ANGLES SIMILAR

B TYPICAL SIDE MOUNT INSIDE CORNER DETAIL







OLYMPUS SM42R NONE DATE 2024

OLYMPUS SPECIFICATION DRAWING
** RESIDENTIAL **

42" SIDE MOUNT - ROUND TOP

4 of 4

AGS

AGS Stainless Clearview® Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.