



NOTES:

- TOP RAIL NOT SHOWN FOR CLARITY.
- ALL PARTS AND COMPONENTS MADE WITH 316 STAINLESS STEEL UNLESS NOTED OTHERWISE.

LEGEND






- SIDE MOUNT POST
- ę CENTERLINE
- F.F. FINISHED FLOOR
- TYP TYPICAL CONDITION APPLIES **ELSEWHERE AT SIMILAR CONDITIONS**


RAINIER SM36W	2024	1	1 ₀ 4
DWG# RAINIEF	SCALE NONE DATE	DESIGNER	AGS
1		ı	

RAINIER SPECIFICATION DRAWING
** RESIDENTIAL ** 36" SIDE MOUNT - WOOD TOP

7873 NE DAY ROAD BAINBRIDGE ISLAND, WA 98110







NOTES:


- 1. TOP RAIL SHOULD BE SELECTED SO THAT ALL GOVERNING CODE REQUIREMENTS ARE SATISFIED. THESE INCLUDE SHAPE, STRENGTH AND RAILING HEIGHT.
- 2. STAIR CONSTRUCTION VARIES GREATLY. AS-BUILT CONDITIONS MAY ALTER RAILING DESIGN, INCLUDING POST LOCATION & MOUNTING, INFILL SPACING & TOP RAIL LAYOUT.

DWG# RAINIER SM36W	SCALE NONE DATE 2024	AGS SHEET 3 OF 4
RAINIER SPECIFICATION DRAWING	** RESIDENTIAL **	36" SIDE MOUNT - WOOD TOP

AINBRIDGE ISLAND, WA 98110 PHONE - (888) 842-9492 FAX - (206) 842-8179 WWW.AGSSTAINLESS.COM




AGS Stainless Clearview® Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.




NOTE: 90° SHOWN, OTHER ANGLES SIMILAR

A TYPICAL 90° SIDE MOUNT OUTSIDE CORNER DETAIL



NOTE: 90° SHOWN, OTHER ANGLES SIMILAR

B TYPICAL 90° SIDE MOUNT INSIDE CORNER DETAIL



AGS stainless:

MWAGSSTANL

4 of 4

AGS

36" SIDE MOUNT - WOOD TOP