



NOTES:

- 1. TOP RAIL NOT SHOWN FOR CLARITY.
- ALL PARTS AND COMPONENTS MADE WITH 316 STAINLESS STEEL UNLESS NOTED OTHERWISE.

LEGEND





- TOP MOUNT POST
- TOP MOUNT DOUBLE POST
 - € CENTERLINE
- F.F. FINISHED FLOOR
- TYP TYPICAL CONDITION APPLIES
 ELSEWHERE AT SIMILAR CONDITIONS





RAINIER TM42W VONE DATE 2024

VERTICAL RAINIER SPECIFICATION DRAWING
** RESIDENTIAL **

42" TOP MOUNT - WOOD TOP

AGS






NOTES:


- 1. TOP RAIL SHOULD BE SELECTED SO THAT ALL GOVERNING CODE REQUIREMENTS ARE SATISFIED. THESE INCLUDE SHAPE, STRENGTH AND RAILING HEIGHT.
- 2. STAIR CONSTRUCTION VARIES GREATLY. AS-BUILT CONDITIONS MAY ALTER RAILING DESIGN, INCLUDING POST LOCATION & MOUNTING, INFILL SPACING & TOP RAIL LAYOUT.


/ING RAINIER TM42W	SCALE NONE DATE 2024	DESIGNER SHEET		AGS 3or4		
VERTICAL RAINIER SPECIFICATION DRAWING	** RESIDENTIAL **			42" TOP MOUNT - WOOD TOP	42" TOP MOUNT - WOOD TOP	42" TOP MOUNT - WOOD TOP



AGS Stainless Clearview[®] Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.














NOTE: 90° SHOWN, OTHER ANGLES SIMILAR







DETAIL

AGS Stainless Clearview[®] Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.

7873 NE DAY ROAD
BANBRIDGE ISLAND, WA 98110
PHONE - (888) 942-9492
FAX - (206) 942-8179
WWWINGSSTANLESS.COM

AGS

TOP MOUNT - WOOD TOP

42"

AGS stainless: