




LEGEND







TOP MOUNT POST


Œ CENTERLINE

F.F. FINISHED FLOOR


TYP TYPICAL CONDITION; APPLIES ELSEWHERE AT SIMILAR LOCATIONS

NOTES:

1. TOP RAIL NOT SHOWN FOR CLARITY.



 \mathcal{C}



- 1. DECK STRUCTURE CAN VARY GREATLY. IT IS THE RESPONSIBILITY OF THE CUSTOMER TO VERIFY THAT THE SUPPORTING STRUCTURE IS ADEQUATE TO MEET THE LOAD REQUIREMENTS OF THE GOVERNING BUILDING CODE(S). AGS Stainless Inc. RECOMMENDS CONSULTING A DESIGN OR CONSTRUCTION PROFESSIONAL TO ADDRESS THESE ISSUES.
- 2. POSITIVE CONNECTION TO ADJACENT STRUCTURE IS REQUIRED.



 \mathcal{C}


2


AGS

TOP

TOP MOUNT - FLAT


42"






OUTSIDE CORNER POST LAYOUT - 90° SCALE: NONE

B INSIDE CORNER POST LAYOUT - 90°
SCALE: NONE





OUTSIDE CORNER POST LAYOUT - 45°
SCALE: NONE

INSIDE CORNER POST LAYOUT - 45°
SCALE: NONE



NOTE:

THE LAYOUTS SHOWN MAY VARY AS THE ANGLE CHANGES. MAKE SURE YOU CHOOSE A POST LAYOUT SO THAT TWO CLOSEST POINTS OF THE ADJACENT POSTS IS LESS THAN 4".

**RAINIER TM42FC $^{\circ}$ က AGS RAINIER SPECIFICATION DRAWING
** COMMERCIAL ** TOP MOUNT - FLAT TOP 42"

3AINBRIDGE ISLAND, WA 96 PHONE - (888) 842-9492 FAX - (206) 842-8179 WMMW AGSSTAINI ESS CO

